



CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope, with sufficient postage, addressed to: Commissioner for Patents, Washington, D.C. 20231, on

10-22-02

Date of Deposit

J. Matthew Buchanan, Reg. No. 47,459

Name of Applicant, Assignee or
Registered Representative

Signature

22 October 2002

Date of Signature

RECEIVED
OCT 28 2002
TECH CENTER 1600/2900
#14

Our Case No.: 10707-14

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Schall, et al.

Serial No.: 10/001,221

Filing Date: October 30, 2001

For: METHODS AND COMPOSITIONS
FOR INDUCING AN IMMUNE
RESPONSE

Examiner: Not Assigned

Group Art Unit No.: 1614

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56, it is respectfully requested that this Information Disclosure Statement be entered and the documents listed below and on the attached Form PTO-1449 be considered by the Examiner and

made of record. Copies of the listed documents required by 37 C.F.R. § 1.982(a)(2) are enclosed for the convenience of the Examiner.

The references now cited are the following:

U.S. Patent Documents

DOCUMENT NUMBER	DATE	NAME
5,284,753	2/1994	Goodwin, Jr.
5,994,126	11/1999	Steinman et al.

Other Art

Baggiolini et al., "Chemokines and leukocyte traffic", <i>Nature</i> , Vol. 392, 1998, pp. 565-568
Baures, "Design, Synthesis, and Dopamine Receptor Modulating Activity of Diketopiperazine Peptidomimetics of L-Prolyl-L-leucylglycinamide", <i>J. Med. Chem.</i> , Vol. 40, 1997, pp. 3594-3600
Beaulieu, "Potent HIV Protease Inhibitors Containing a Novel (Hydroxyethyl)amide isostere" <i>J. Med. Chem.</i> , Vol. 40, 1997, pp. 2164-2176
Bluel et al., "A highly efficacious lymphocyte chemoattractant, stromal cell-derived factor 1 (SDF-1)", <i>J. Exp. Med.</i> , Vol. 184, No. 3, 1996, pp. 1101-1109
Bozarth et al., "An improved method for the quantitation of cellular migration: Role of alpha-v-beta-3 integrin in endothelial and smooth muscle cell migration", <i>Meth. Cell Science</i> , Vol. 19, 1997, pp. 179-187
Brady, S.F. et al. "Discovery and Development of the Novel Potent Orally Active Thrombin Inhibitor N-(9-Hydroxy-9 fluorene-carboxy)prolyl trans-4-Aminocyclohexylmethyl amide (L-372,460): Coapplication of structure-based design and rapid multiple analogue synthesis on solid support", <i>J. Med. Chem.</i> , Vol. 41, 1998, pp. 401-406
Campbell, J. et al., "6-C-kine (SLC), a Lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3beta receptor CCR7", <i>J. Cell Biol.</i> , Vol. 141, 1998, pp. 1053
Cella, M. et al., "Maturation, activation, and protection of dendritic cells induced by double-stranded RNA", <i>J. Exp. Med.</i> , Vol. 189, 1999, pp. 821-829
Chan, V. et al., "Secondary lymphoid-tissue chemokine (SLC) is chemotactic for mature dendritic cells", <i>Blood</i> , Vol. 93, 1999, pp. 3610
Davatelis et al., "Cloning and characterization of a cDNA for murine macrophage inflammatory protein (MIP), a novel monokine with inflammatory and chemokinetic properties", <i>J. Exp. Med.</i> , Vol. 167, No. 6, 1988, pp. 1939-1944
Dieu, M. et al., "Selective recruitment of immature and mature dendritic cells by distinct chemokines expressed in different anatomic sites", <i>J. Exp. Med.</i> , Vol. 188, 1998, pp. 373
Farber et al., "A macrophage mRNA selectively induced by gamma-interferon encodes a member of the platelet factor 4 family of cytokines", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 87, No. 14, 1990, pp. 5238-5242
Forssmann et al., "CKbeta8, a novel CC chemokine that predominantly acts on monocytes", <i>FEBS Lett.</i> , Vol. 408, No. 2, 1997, pp. 211-216
Gunn et al., "A B-cell-homing chemokine made in lymphoid follicles activates Burkitt's lymphoma receptor-1", <i>Nature</i> , Vol. 391, No. 6669, 1998, pp. 799-803
Hedrick et al., "Identification and characterization of a novel beta chemokine containing six conserved cysteines", <i>J. Immunol.</i> , Vol. 159, No. 4, 1997, pp. 1589-1593

RECEIVED
DEC 03 2002
TECH CENTER 1600/2900

DEC 03 2002

TECH CENTER 1600/2900

Hieshima et al., "Molecular cloning of a novel human CC chemokine liver and activation-regulated chemokine (LARC) expressed in liver. Chemotactic activity for lymphocytes and gene localization on chromosome 2", *J. Biol. Chem.*, Vol. 272, No. 9, 1997, pp. 5846-5853

Irving et al., "Two inflammatory mediator cytokine genes are closely linked and variably amplified on chromosome 17q", *Nuc. Acid Res.*, Vol. 18, 1990, pp. 3261-3270

Keller, H., "Chemotaxis and its significance for leucocyte accumulation", *Agents Actions*, Vol. 2, 1972, pp. 161-169

Kellerman S. et al., "The CC chemokine receptor-7 ligands 6Ckine and macrophage inflammatory protein-3beta are potent chemoattractants for in vitro- and in vivo-derived dendritic cells", *J. Immunol.*, Vol. 162, 1999, pp. 3859

Lipes et al., "Identification, cloning, and characterization of an immune activation gene", *Proc. Natl. Acad. Sci. USA*, Vol. 85, 1998, pp. 9704

MacDonald et al., "Spliced mRNA encoding the murine cytomegalovirus chemokine homolog predicts a beta chemokine of novel structure", *J. Virol.*, Vol. 73, No. 5, 1999, pp. 3682-3691

Macphee et al., "Identification of a truncated form of the CC chemokine CK beta-8 demonstrating greatly enhanced biological activity", *J Immunol.*, Vol. 161 No. 11, 1998, pp. 6273-6279

Misicka, A. et al., "Synthesis and biological properties of beta-MePhe³ analogues of deltorphin I and dermenkephalin: influence of biased χ^1 of the Phe³ residues on peptide recognition for δ -opioid receptors", *J. Pept. Res.*, Vol. 50, 1997, pp. 48-54

Nagasawa et al., "Molecular cloning and structure of a pre-B-cell growth-stimulating factor", *Proc. Natl. Acad. Sci. USA*, Vol. 91, No. 6, 1994, pp. 2305-2309

Nicholas et al., "Kaposi's sarcoma-associated human herpesvirus-8 encodes homologues of macrophage inflammatory protein-1 and interleukin-6", *Nat. Med.*, Vol. 3, No. 3, 1997, pp. 287-292

Obaru et al., "A cDNA clone used to study mRNA inducible in human tonsillar lymphocytes by a tumor promoter", *J. Biochem*, Vol. 99, No.3, 1986, pp. 885-894

Orlowsky et al., "Novel expression pattern of a new member of the MIP family of cytokine-like genes", *Cell Regulation*, Vol. 2, 1991, pp. 403-412

Poltorak et al., "MIP-1 gamma: a molecular cloning, expression, and biological activities of a novel CC chemokine that is constitutively secreted in vivo", *Inflamm*, Vol. 45, No. 3, 1995, pp. 207-219

Proudfoot, et al., "Extension of recombinant human RANTES by the retention of the initiating methionine produces a potent antagonist", *J. Biol. Chem.*, Vol. 271, No. 5, 1996, pp. 2599-2603

Rothenberg et al., "Murine eotaxin: an eosinophil chemoattractant inducible in endothelial cells and in interleukin 4-induced tumor suppression", *Proc. Natl. Acad. Sci. USA*, Vol. 92, No. 19, 1995, pp. 8960-8964

Saederup et al., "Cytomegalovirus-encoded beta chemokine promotes monocyte-associated viremia in the host", *Proc. Natl. Acad. Sci. USA*, Vol. 96, No. 19, 1999, pp. 10881-10886

Sarafi et al., "Murine monocyte chemoattractant protein (MCP)-5: a novel CC chemokine that is a structural and functional homologue of human MCP-1", *J. Exp. Med.*, Vol. 185, No. 1, 1997, pp. 99-109

Schall et al., "A human T cell-specific molecule is a member of a new gene family", *J. Immunol.*, Vol. 141, 1988, pp. 1018

Schall et al., "Molecular cloning and expression of the murine RANTES cytokine: structural and functional conservation between mouse and man", *Eur. J. Immunol.*, Vol. 22, No. 6, 1992, pp. 1477-1481

Schaniel et al., "Activated Murine B Lymphocytes and Dendritic Cells Produce a Novel CC Chemokine which Acts Selectively on Activated T Cells", *J. Exp. Med.*, Vol. 188, No. 3, 1998, pp. 451-463

Schulz-Kappe et al., "HCC-1, a novel chemokine from human plasma", *J. Exp. Med.*, Vol. 183, No. 1, 1996, pp. 295-299


Sherry et al., "Resolution of the two components of macrophage inflammatory protein 1, and cloning and characterization of one of those components, macrophage inflammatory protein 1 beta", <i>J. Exp. Med.</i> , Vol. 168, No. 6, 1988, pp. 2251-2259
Tashiro et al., "Signal sequence trap: a cloning strategy for secreted proteins and type I membrane proteins", <i>Science</i> , Vol. 261, No. 5121, 1993, pp. 600-603
Tekamp-Olson et al., "Cloning and characterization of cDNAs for murine macrophage inflammatory protein 2 and its human homologues", <i>J. Exp. Med.</i> , Vol. 172, No. 3, 1990, pp. 911-919
Thirion et al., "Mouse macrophage derived monocyte chemotactic protein-3: cDNA cloning and identification as MARC/FIC", <i>Biochem. Biophys. Res. Commun.</i> , Vol. 201, No. 2, 1994, pp. 493-499
Ugoccioni et al., "Monocyte chemotactic protein 4 (MCP-4), a novel structural and functional analogue of MCP-3 and eotaxin", <i>J. Exp. Med.</i> , Vol. 183, 1996, pp. 2379
Van Damme et al., "Production and identification of natural monocyte chemotactic protein from virally infected murine fibroblasts. Relationship with the product of the mouse competence (JE) gene", <i>Eur. J. Biochem.</i> , Vol. 199, No. 1, 1999, pp. 223-229
Van Damme et al., "Structural and functional identification of two humans, tumor-derived monocyte chemotactic proteins (MCP-2 and MCP-3) belonging to the chemokine family", <i>J. Exp. Med.</i> , Vol. 176, No. 1, 1992, pp. 59-65
Verdijk, R. et al., "Polyribonucleosinic polyribocytidylic Acid (Poly(I:C)) induces stable maturation of functionally active human dendritic cells", <i>J. Immunol.</i> , Vol. 1, 1999, pp. 57-61
Vicari et al., "TECK: a novel CC chemokine specifically expressed by thymic dendritic cells and potentially involved in T cell development", <i>Immunity</i> , Vol. 7, No. 2, 1997, pp. 291-301
Wang et al., "Molecular cloning and functional characterization of human MIP-1 delta, a new C-C chemokine related to mouse CCF-18 and C10", <i>J. Clin. Immunol.</i> , Vol. 18, No. 3, 1998, pp. 214
Ward S. et al., "Chemokines and T lymphocytes: more than an attraction", <i>Immunity</i> , Vol 9, 1998, pp. 1-11
Yoshida et al., "Molecular cloning of a novel human CC chemokine EBI1-ligand chemokine that is specific functional ligand for EBI1, CCR7", <i>J. Biol. Chem.</i> , Vol. 272, No. 21, 1997, pp. 13803-13809
Youn et al., "Characterization of CKbeta8 and CKbeta8-1: two alternatively spliced forms of human beta-chemokine, chemattractants for neutrophils, monocytes, and lymphocytes, and potent agonists at CC chemokine receptor 1", <i>Blood</i> , Vol. 91, No. 9, 1998, pp. 3118-3126
Youn et al., "Molecular cloning of leukotactin-1: a novel human beta-chemokine, a chemoattractant for neutrophils, monocytes, and lymphocytes, and a potent agonist at CC chemokine receptors 1 and 3", <i>J. Immunol.</i> , Vol. 159, No. 11, 1997, pp. 5201-5205
Zhang, Y. et al., "Synthesis, biological activity, and conformational analysis of peptidomimetic analogues of the <i>Saccharomyces cerevisiae</i> alpha-factor tridecapeptide", <i>Biochemistry</i> , Vol. 37, 1998, pp. 12465-12476

In accordance with 37 C.F.R. § 1.97(g),(h), this Information Disclosure Statement is not to be construed as a representation that a search has been made and is not to be construed to be an admission that the information cited is, or is considered to be, material to patentability as defined in 37 C.F.R. § 1.56(b).

This Information Disclosure Statement is being filed prior to the receipt of the first Official Action reflecting an examination on the merits and hence is believed to be timely filed in accordance with 37 C.F.R. § 1.97(b). No fees are believed to be due in connection with filing of this Information Disclosure Statement, however, should any fees under 37 C.F.R. §§ 1.16 to 1.21 be deemed necessary for any reason relating to these material, the Commissioner is hereby authorized to deduct said fees from Brinks Hofer Gilson & Lione Deposit Account No. 23-1925. A duplicate copy of this document is enclosed.

Applicants respectfully request that the listed documents be made of record in the present case.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "J. Matthew Buchanan", written over a horizontal line.

J. Matthew Buchanan
Registration No. 47,459
Attorney for Applicants

BRINKS HOFER GILSON & LIONE
P.O. Box 10395
Chicago, IL 60610
(312) 321-4200



OCT 28 2002

TECH CENTER 1600/2900

FORM PTO-1449	SERIAL NO. 10/001,221	CASE NO. 10709/14
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	FILING DATE October 30, 2001	GROUP ART UNIT 1614
(use several sheets if necessary)		
APPLICANT(S): Schall et al.		

REFERENCE DESIGNATION

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS/ SUBCLASS	FILING DATE
	A1	5,284,753	2/1994	Goodwin, Jr.		
	A2	5,994,126	11/1999	Steinman et al.		

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS/ SUBCLASS	TRANSLATION YES	NO

EXAMINER INITIAL	OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)	
	A3	Baggiolini et al., "Chemokines and leukocyte traffic", <i>Nature</i> , Vol. 392, 1998, pp. 565-568
	A4	Baures, "Design, Synthesis, and Dopamine Receptor Modulating Activity of Diketopiperazine Peptidomimetics of L-Prolyl-L-leucylglycinamide", <i>J. Med. Chem.</i> , Vol. 40, 1997, pp. 3594-3600
	A5	Beaulieu, "Potent HIV Protease Inhibitors Containing a Novel (Hydroxyethyl)amide isostere", <i>J. Med. Chem.</i> , Vol. 40, 1997, pp. 2164-2176
	A6	Bluel et al., "A highly efficacious lymphocyte chemoattractant, stromal cell-derived factor 1 (SDF-1)", <i>J. Exp. Med.</i> , Vol. 184, No. 3, 1996, pp. 1101-1109
	A7	Bozarth et al., "An improved method for the quantitation of cellular migration: Role of alpha-v-beta-3 integrin in endothelial and smooth muscle cell migration", <i>Meth. Cell Science</i> , Vol. 19, 1997, pp. 179-187
	A8	Brady, S.F. et al., "Discovery and Development of the Novel Potent Orally Active Thrombin Inhibitor N-(9-Hydroxy-9 fluorencarboxy)prolyl trans-4-Aminocyclohexylmethyl amide (L-372,460): Coapplication of structure-based design and rapid multiple analogue synthesis on solid support", <i>J. Med. Chem.</i> , Vol. 41, 1998, pp. 401-406
	A9	Campbell, J. et al., "6-C-kine (SLC), a Lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3beta receptor CCR7", <i>J. Cell Biol.</i> , Vol. 141, 1998, pp. 1053
	A10	Cella, M. et al., "Maturation, activation, and protection of dendritic cells induced by double-stranded RNA", <i>J. Exp. Med.</i> , Vol. 189, 1999, pp. 821-829
	A11	Chan, V. et al., "Secondary lymphoid-tissue chemokine (SLC) is chemotactic for mature dendritic cells", <i>Blood</i> , Vol. 93, 1999, pp. 3610
	A12	Davatellis et al., "Cloning and characterization of a cDNA for murine macrophage inflammatory protein (MIP), a novel monokine with inflammatory and chemokinetic properties", <i>J. Exp. Med.</i> , Vol. 167, No. 6, 1988, pp. 1939-1944

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Page 2 of 4

FORM PTO-1449	SERIAL NO. 10/001,221	CASE NO. 10709/14
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	FILING DATE October 30, 2001	GROUP ART UNIT 1614
	(use several sheets if necessary)	
APPLICANT(S): Schall et al.		

EXAMINER INITIAL	OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)	
	A13	Dieu, M. et al., "Selective recruitment of immature and mature dendritic cells by distinct chemokines expressed in different anatomic sites", <i>J. Exp. Med.</i> , Vol. 188, 1998, pp. 373
	A14	Farber et al., "A macrophage mRNA selectively induced by gamma-interferon encodes a member of the platelet factor 4 family of cytokines", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 87, No. 14, 1990, pp. 5238-5242
	A15	Forssmann et al., "CKbeta8, a novel CC chemokine that predominantly acts on monocytes", <i>FEBS Lett.</i> , Vol. 408, No. 2, 1997, pp. 211-216
	A16	Gunn et al., "A B-cell-homing chemokine made in lymphoid follicles activates Burkitt's lymphoma receptor-1", <i>Nature</i> , Vol. 391, No. 6669, 1998, pp. 799-803
	A17	Hedrick et al., "Identification and characterization of a novel beta chemokine containing six conserved cysteines", <i>J. Immunol.</i> , Vol. 159, No. 4, 1997, pp. 1589-1593
	A18	Hieshima et al., "Molecular cloning of a novel human CC chemokine liver and activation-regulated chemokine (LARC) expressed in liver. Chemotactic activity for lymphocytes and gene localization on chromosome 2", <i>J. Biol. Chem.</i> , Vol. 272, No. 9, 1997, pp. 5846-5853
	A19	Irving et al., "Two inflammatory mediator cytokine genes are closely linked and variably amplified on chromosome 17q", <i>Nuc. Acid Res.</i> , Vol. 18, 1990, pp. 3261-3270
	A20	Keller, H., "Chemotaxis and its significance for leucocyte accumulation", <i>Agents Actions</i> , Vol. 2, 1972, pp. 161-169
	A21	Kellerman S. et al., "The CC chemokine receptor-7 ligands 6Ckine and macrophage inflammatory protein-3beta are potent chemoattractants for in vitro- and in vivo-derived dendritic cells", <i>J. Immunol.</i> , Vol. 162, 1999, pp. 3859
	A22	Lipes et al., "Identification, cloning, and characterization of an immune activation gene", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 85, 1998, pp. 9704
	A23	MacDonald et al., "Spliced mRNA encoding the murine cytomegalovirus chemokine homolog predicts a beta chemokine of novel structure", <i>J. Virol.</i> , Vol. 73, No. 5, 1999, pp. 3682-3691
	A24	Macphee et al., "Identification of a truncated form of the CC chemokine CK beta-8 demonstrating greatly enhanced biological activity", <i>J Immunol.</i> , Vol. 161 No. 11, 1998, pp. 6273-6279
	A25	Misicka, A. et al., "Synthesis and biological properties of beta-MePhe ³ analogues of deltorphin I and dermenkephalin: influence of biased χ^1 of the Phe ³ residues on peptide recognition for δ -opioid receptors", <i>J. Pept. Res.</i> , Vol. 50, 1997, pp. 48-54
	A26	Nagasawa et al., "Molecular cloning and structure of a pre-B-cell growth-stimulating factor", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91, No. 6, 1994, pp. 2305-2309
	A27	Nicholas et al., "Kaposi's sarcoma-associated human herpesvirus-8 encodes homologues of macrophage inflammatory protein-1 and interleukin-6", <i>Nat. Med.</i> , Vol. 3, No. 3, 1997, pp. 287-292
	A28	Obaru et al., "A cDNA clone used to study mRNA inducible in human tonsillar lymphocytes by a tumor promoter", <i>J. Biochem</i> , Vol. 99, No.3, 1986, pp. 885-894
	A29	Orlofsky et al., "Novel expression pattern of a new member of the MIP family of cytokine-like genes", <i>Cell Regulation</i> , Vol. 2, 1991, pp. 403-412

EXAMINER	DATE CONSIDERED
----------	-----------------


EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

OCT 28 2002

TECH CENTER 1600/2900

RECEIVED
DEC 03 2002



FORM PTO-1449

Page 3 of 4

LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (use several sheets if necessary)	SERIAL NO.	CASE NO.
	10/001,221	10709/14
	FILING DATE October 30, 2001	GROUP ART UNIT 1600/2900

APPLICANT(S): Schall et al.

RECEIVED
DEC 8 2002
TECH CENTER 1600/2900

EXAMINER INITIAL	OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)	
	A30	Poltorak et al., "MIP-1 gamma: a molecular cloning, expression, and biological activities of a novel CC chemokine that is constitutively secreted in vivo", <i>Inflamm</i> , Vol. 45, No. 3, 1995, pp. 207-219
	A31	Proudfoot, et al., "Extension of recombinant human RANTES by the retention of the initiating methionine produces a potent antagonist", <i>J. Biol. Chem.</i> , Vol. 271, No. 5, 1996, pp. 2599-2603
	A32	Rothenberg et al., "Murine eotaxin: an eosinophil chemoattractant inducible in endothelial cells and in interleukin 4-induced tumor suppression", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92, No. 19, 1995, pp. 8960-8964
	A33	Saederup et al., "Cytomegalovirus-encoded beta chemokine promotes monocyte-associated viremia in the host", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 96, No. 19, 1999, pp. 10881-10886
	A34	Sarafi et al., "Murine monocyte chemoattractant protein (MCP)-5: a novel CC chemokine that is a structural and functional homologue of human MCP-1", <i>J. Exp. Med.</i> , Vol. 185, No. 1, 1997, pp. 99-109
	A35	Schall et al., "A human T cell-specific molecule is a member of a new gene family", <i>J. Immunol.</i> , Vol. 141, 1988, pp. 1018
	A36	Schall et al., "Molecular cloning and expression of the murine RANTES cytokine: structural and functional conservation between mouse and man", <i>Eur. J. Immunol.</i> , Vol. 22, No. 6, 1992, pp. 1477-1481
	A37	Schaniel et al., "Activated Murine B Lymphocytes and Dendritic Cells Produce a Novel CC Chemokine which Acts Selectively on Activated T Cells", <i>J. Exp. Med.</i> , Vol. 188, No. 3, 1998, pp. 451-463
	A38	Schulz-Kappe et al., "HCC-1, a novel chemokine from human plasma", <i>J. Exp. Med.</i> , Vol. 183, No. 1, 1996, pp. 295-299
	A39	Sherry et al., "Resolution of the two components of macrophage inflammatory protein 1, and cloning and characterization of one of those components, macrophage inflammatory protein 1 beta", <i>J. Exp. Med.</i> , Vol. 168, No. 6, 1988, pp. 2251-2259
	A40	Tashiro et al., "Signal sequence trap: a cloning strategy for secreted proteins and type I membrane proteins", <i>Science</i> , Vol. 261, No. 5121, 1993, pp. 600-603
	A41	Tekamp-Olson et al., "Cloning and characterization of cDNAs for murine macrophage inflammatory protein 2 and its human homologues", <i>J. Exp. Med.</i> , Vol. 172, No. 3, 1990, pp. 911-919
	A42	Thirion et al., "Mouse macrophage derived monocyte chemotactic protein-3: cDNA cloning and identification as MARC/FIC", <i>Biochem. Biophys. Res. Commun.</i> , Vol. 201, No. 2, 1994, pp. 493-499
	A43	Ugoccioni et al., "Monocyte chemotactic protein 4 (MCP-4), a novel structural and functional analogue of MCP-3 and eotaxin", <i>J. Exp. Med.</i> , Vol. 183, 1996, pp. 2379
	A44	Van Damme et al., "Production and identification of natural monocyte chemotactic protein from virally infected murine fibroblasts. Relationship with the product of the mouse competence (JE) gene", <i>Eur. J. Biochem.</i> , Vol. 199, No. 1, 1999, pp. 223-229


EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

OCT 28 2002

TECH CENTER 1600/2900



FORM PTO-1449	SERIAL NO. 10/001,221	CASE NO. 10709/14
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT	FILING DATE October 30, 2001	GROUP ART UNIT 1614
(use several sheets if necessary)		APPLICANT(S): Schall et al.

EXAMINER INITIAL	OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)	
	A45	Van Damme et al., "Structural and functional identification of two humans, tumor-derived monocyte chemotactic proteins (MCP-2 and MCP-3) belonging to the chemokine family", <i>J. Exp. Med.</i> , Vol. 176., No. 1, 1992, pp. 59-65
	A46	Verdijk, R. et al., "Polyribonucleosinic polyribocytidylic Acid (Poly(I:C)) induces stable maturation of functionally active human dendritic cells", <i>J. Immunol.</i> , Vol. 1, 1999, pp. 57-61
	A47	Vicari et al., "TECK: a novel CC chemokine specifically expressed by thymic dendritic cells and potentially involved in T cell development", <i>Immunity</i> , Vol. 7, No. 2, 1997, pp. 291-301
	A48	Wang et al., "Molecular cloning and functional characterization of human MIP-1 delta, a new C-C chemokine related to mouse CCF-18 and C10", <i>J. Clin. Immunol.</i> , Vol. 18, No. 3, 1998, pp. 214
	A49	Ward S. et al., "Chemokines and T lymphocytes: more than an attraction", <i>Immunity</i> , Vol 9, 1998, pp. 1-11
	A50	Yoshida et al., "Molecular cloning of a novel human CC chemokine EBI1-ligand chemokine that is specific functional ligand for EBI1, CCR7", <i>J. Biol. Chem.</i> , Vol. 272, No. 21, 1997, pp. 13803-13809
	A51	Youn et al., "Characterization of CKbeta8 and CKbeta8-1: two alternatively spliced forms of human beta-chemokine, chemottractants for neutrophils, monocytes, and lymphocytes, and potent agonists at CC chemokine receptor 1", <i>Blood</i> , Vol. 91, No. 9, 1998, pp. 3118-3126
	A52	Youn et al., "Molecular cloning of leukotactin-1: a novel human beta-chemokine, a chemoattractant for neutrophils, monocytes, and lymphocytes, and a potent agonist at CC chemokine receptors 1 and 3", <i>J. Immunol.</i> , Vol. 159, No. 11, 1997, pp. 5201-5205
	A53	Zhang, Y, et al., "Synthesis, biological activity, and conformational analysis of peptidomimetic analogues of the <i>Saccharomyces cerevisiae</i> alpha-factor tridecapeptide", <i>Biochemistry</i> , Vol. 37, 1998, pp. 12465-12476

RECEIVED

OCT 28 2002

TECH CENTER 1600/2900

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.